



RailX Australia
Non-Conductive Handrail System

Keep Australia safe at all times!

australianbollards.com.au
+613 9459 3488







RailX Australia

Non-Conductive Handrail System

AB-RXR-AT
Description:
 Adjustable Round Tee
 Connection Joint
Size (mm): D50




AB-RXR-TCJH3
Description:
 Standard Horizontal Tee
 Connection Joint
Size (mm): D50, 90°



AB-RXR-CCJ
Description:
 Standard Round 90° Bend
 Corner Connection Joint
Size (mm): D30/36/50/76,
 90°




AB-RXR-CCJ
Description:
 Standard Cross
 Connection Joint
Size (mm): D36, 50, 76, 90°



AB-RXR-WMB
Description:
 Standard Mounting
 Bracket
Size (mm): D50



AB-RXR-CCJ
Description:
 Standard Cross
 Connection Joint
Size (mm): D50, 120°, 150°




RailX Australia

Non-Conductive Handrail System

AB-RXR-UJ

Description:
Standard Universal Joint


Size (mm): D50



AB-RXR-KPR

Description:
Standard Kickplate
Regular


Size (mm): 104x12.5x3



AB-RXR-T120

Description:
Standard Tee 50 – 120°

Size (mm): D50, 120°, 135°



AB-RXR-DSV

Description:
Standard Double Swivel


Size (mm): D50



AB-RXR-DCR

Description:
Standard Grey D-Cross

Size (mm): D30/50, 90°



RailX Australia Non-Conductive Handrail System

